

Accessories Portable Gas Detectors

Microtector II G450	page	02
Microtector II G460	page	05
Microtector III G888	page	08
Polytector III G999	page	09
Micro IV gas detector	nage	10





DESCRIPTION	ARTICLE NO.
Alkaline battery pack, incl. 2 batteries	0
Alkaline battery pack with vibrator, incl. 2 batteries	1
NiMH-II battery pack with explosio-proof lights	2
NiMH-II battery pack with explosion-proof lights and vibrator	3
NiMH-II battery pack	4
NiMH-II battery pack with vibrator	5
Smart Charger Cap (for charging, calibration and data transfer to a PC)	1450215
Euro-plug-in charger for NiMH-II battery pack	1450216
US-plug-in charger for NiMH-II battery pack	1450217
Vehicle charging cable for 12/24VDC on-board power supply (to permanent positive)	1450227
Drop-in charger DIC1B for devices without pump, with bracket (charging and data transfer to a PC)	1450220
Drop-in charger DIC1B for devices with pump, with bracket (charging and data transfer to a PC)	1450224
Charging set 1: Smart Charger Cap and EU-plug-in charger	1450240
Charging set 2: Smart Charger Cap and US-plug-in charger	1450241
Charging set 3: Smart Charger Cap and vehicle charging cable	1450242
Charging set 4: Drop-in charger DIC1B with bracket and EU-plug-in charger	1450246
Charging set 5: Drop-in charger DIC1B with bracket and US-plug-in charger	1450247
Charging set 6: Drop-in charger DIC1B with bracket and vehicle charging cable	1450248
Charging set 7: Drop-in charger DIC2B with bracket and EU-plug-in charger	1450263
Charging set 8: Drop-in charger DIC2B with bracket and US-plug-in charger	1450264
Charging set 9: Drop-in charger DIC2B with bracket and vehicle charging cable	1450265





DESCRIPTION	ARTICLE NO.
Data logger set 1: Data logger and software	1450233
Data logger set 2: Data logger, software and USB-cable	1450234
Data logger set 3: Data logger, software, USB-cable and smat charger cap	1450235
Data logger set 4: Data logger, software, USB-cable and drop-in charger DIC1B	1450237
Data logger set 5: Data logger, software, USB-cable and drop-in charger DIC2B	1450239
Firmware-Update	1450230
USB-cable (for a PC)	1450232
Smart cap (for calibration)	1450225
Steel belt clip with adaptor (alternative to crocodile clip)	1450222
Protective bag for devices without display cover and without straps, for Microtector II G450/G460 without pump	1450228
Protective bag for devices with display cover and with straps, for Microtector II G450/G460 without pump	1450266
Protective bag for devices with display cover and straps, for Microtector II G450/G460 with pump	1450269
Transportation and storing case	1450229
Attachable motorized pump with hose adapter, 30 cm sampling tube and alkaline battery pack with 2 batteries	1450252
Attachable motorized pump with hose adapter, 30 cm sampling tube and rechargeable battery pack	1450253





DESCRIPTION	ARTICLE NO.
Teststation TS400 Set 1 for G450 / G460 without pump, without charging function, incl. fitting, configuration software	1450421
Teststation TS400 Set 2 for G450 / G460 with pump, without charging function, incl. fitting, configuration software	1450422
Teststation TS400 Set 3 for G450 / G460 without pump, with charging function*, incl. fitting, configuration software	1450423
Teststation TS400 Set 4 for G450 / G460 with pump, with charging function*, incl. fitting, configuration software	1450424
Teststation TX400 Set 1 for Microtector II without pump, without charging function, incl. fitting, configuration software	1450441
Teststation TX400 Set 2 for Microtector II with pump, without charging function, incl. fitting, configuration software	1450442
Teststation TX400 Set 3 for Microtector II without pump, with charging function*, incl. fitting, configuration software	1450443
Teststation TX400 Set 4 for Microtector II with pump, with charging function*, incl. fitting, configuration software	1450444
Docking station DS400 for G450, G460 with tray DIC1D for instruments without pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450401
Docking station DS400 for G450, G460 with tray DIC2D for instruments with pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450402
Docking station DS404 for G450/G460 with tray DIC1D for instruments without pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450411
Docking station DS404 for G450/G460 with tray DIC2D for instruments with pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450412





DESCRIPTION	ARTICLE NO.
Alkaline battery pack, incl. 2 batteries	0
Alkaline battery pack with vibrator, incl. 2 batteries	1
NiMH-II battery pack with explosio-proof lights	2
NiMH-II battery pack with explosion-proof lights and vibrator	3
NiMH-II battery pack	4
NiMH-II battery pack with vibrator	5
NiMH battery pack	1460206
NiMH battery pack with explosion-proof lights	1460208
NiMH battery pack with vibrator	1460207
NiMH battery pack with explosion-proof lights and vibrator	1460209
Alkaline battery pack, incl. 2 batteries	1450201
Alkaline battery pack with vibrator, incl. 2 batteries	1450203
Smart Charger Cap (for charging, calibration and data transfer to a PC)	1450215
Euro-plug-in charger for NiMH-II battery pack	1450216
US-plug-in charger for NiMH-II battery pack	1450217
Vehicle charging cable for 12/24V DC on-board power supply (to permanent positive)	1450227
Drop-in charger DIC1B for devices without pump, with bracket (charging and data transfer to a PC)	1450220
Drop-in charger DIC1B for devices with pump, with bracket (charging and data transfer to a PC)	1450224
Charging set 1: Smart Charger Cap and Euro-plug-in charger	1450240
Charging set 2: Smart Charger Cap and US-plug-in charger	1450241
Charging set 3: Smart Charger Cap and vehicle charging cable	1450242
Charging set 4: Drop-in charger DIC1B with bracket and Euro-plug-in charger	1450246
Charging set 5: Drop-in charger DIC1B with bracket and US-plug-in charger	1450247





DESCRIPTION	ARTICLE NO.
Charging set 6: Drop-in charger DIC1B with bracket and vehicle charging cable	1450248
Charging set 7: Drop-in charger DIC2B with bracket and Euro-plug-in charger	1450263
Charging set 8: Drop-in charger DIC2B with bracket and US-plug-in charger	1450264
Charging set 9: Drop-in charger DIC2B with bracket and vehicle charging cable	1450265
Data logger set 1: Data logger and software	1450233
Data logger set 2: Data logger, software and USB-cable	1450234
Data logger set 3: Data logger, software, USB-cable and smart charger cap	1450235
Data logger set 4: Data logger, software, USB-cablel and drop-in charger DIC1B	1450237
Data logger set 5: Data logger, software, USB-cable and drop-in charger DIC2B	1450239
Micro-SD card, for long-term storage of measurement values (only in combination with a data logger)	1460200
Software-Update for gas detector Microtector II G460	1450230
USB-cable (for PC)	1450232
Smart Cap (for calibration)	1450225
Steel belt clip with adaptor (alternative to crocodile clip)	1450222
Protective bag for devices without display cover and without straps, for Microtector II G450/G460 without pump	1450228
Protective bag for devices with display cover and with straps, for Microtector II G450/G460 without pump	1450266
Protective bag for devices with display cover and straps, for Microtector II G450/G460 with pump	1450269





DESCRIPTION	ARTICLE NO.
Transportation and storing case	1450229
Attachable motorized pump with hose adapter, 30 cm sampling tube and alkaline battery pack with 2 batteries	1450252
Attachable motorized pump with hose adapter, 30 cm sampling tube and rechargeable battery pack	1450253
Teststation TS400 Set 1 for G450 / G460 without pump, without charging function, incl. fitting, configuration software	1450421
Teststation TS400 Set 2 for G450 / G460 with pump, without charging function, incl. fitting, configuration software	1450422
Teststation TS400 Set 3 for G450 / G460 without pump, with charging function*, incl. fitting, configuration software	1450423
Teststation TS400 Set 4 for G450 / G460 with pump, with charging function*, incl. fitting, configuration software	1450424
Teststation TX400 Set 1 for Microtector II without pump, without charging function, incl. fitting, configuration software	1450441
Teststation TX400 Set 2 for Microtector II with pump, without charging function, incl. fitting, configuration software	1450442
Teststation TX400 Set 3 for Microtector II without pump, with charging function*, incl. fitting, configuration software	1450443
Teststation TX400 Set 4 for Microtector II with pump, with charging function*, incl. fitting, configuration software	1450444
Docking station DS400 for G450, G460 with tray DIC1D for instruments without pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450401
Docking station DS400 for G450, G460 with tray DIC2D for instruments with pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450402
Docking station DS404 for G450/G460 with tray DIC1D for instruments without pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450411
Docking station DS404 for G450/G460 with tray DIC2D for instruments with pump, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1450412





DESCRIPTION	ARTICLE NO.
Set 1, USB-Dongle (EU 868 MHz) and G888/G999 Visual-Software	1990201
Set 2, USB-Dongle (US 915 MHz) and G888/G999 Visual-Software	1990202
Read out and Visualization software	1990205
Smart Charger Cap for G888 (charging, calibration, data transfer to PC)	1880210
Smart Charger Cap for G888 with USB-cable	1990211
Smart Charger Cap for G888 with USB-cable and EU plug-in charger	1990212
Drop-in charger DIC 888/999 without EU plug-in charger	1990220
Drop-in charger DIC 888/999 with EU plug-in charger	1990221
G888 diffusion cover, Light Blue (RAL5012), GfG standard color	1990290
G888 diffusion cover , Traffic Yellow (RAL 1023)	1990291
G888 diffusion cover , Trafic Red (RAL 3020)	1990292
G888 diffusion cover , Luminous Bright Red (RAL 3026)	1990293
G888 diffusion cover , Light Green (RAL 6027)	1990294
Protective leather bag for G888, with display cover and carry strap	1990297
G888/G999 USB-Interface cable for data transfer (DIC to PC)	1990229
USB-Cable for data transfer (SCC to PC), Length: 1m	1450431
USB-Cable for data transfer (SCC to PC), Length: 2m	1450432
Teststation TS888/999 Set 1 for G888 and G999, without charging function, incl. fitting, configuration software	1990241
Teststation TS888/999 Set 2 for G888 and G999, with charging function, incl. fitting, configuration software	1990246
Teststation TX888/999 Set 1 for G888 and G999, without charging function, incl. fitting, configuration software	1990251
Teststation TX888/999 Set 2 for G888 and G999, with charging function, incl. fitting, configuration software	1990256
Docking station DS400 for G888, G999 incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1990231
Docking station DS404 for G888, G999, incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1990236





Accessories Polytector III G999

DESCRIPTION	ARTICLE NO.
Drop-in charger DIC 888/999 without EU plug-in charger	1990220
Drop-in charger DIC 888/999 with EU plug-in charger	1990221
Set 1, USB-Dongle (EU 868 MHz) and G888/G999 Visual-Software	1990201
Set 2, USB-Dongle (US 915 MHz) and G888/G999 Visual-Software	1990202
Read out and Visualization software	1990205
Smart Cap for G999 (Data transfer, calibration)	1880210
Smart Cap for G999 with USB-cable	1990211
G888/G999 USB-Interface cable for Data transfer, DIC to PC	1990229
G999 diffusion cover , Light Blue (RAL5012), GfG standard color	1990290
G999 diffusion cover , Traffic Yellow (RAL 1023)	1990291
G999 diffusion cover , Trafic Red (RAL 3020)	1990292
G999 diffusion cover , Luminous Bright Red (RAL 3026)	1990293
G999 diffusion cover , Light Green (RAL 6027)	1990294
Protective leather bag for G999, with display cover and carry strap	1990298
Special sampling hose, anti-static with dust/water filter, Length: 3m	1000208
Special sampling hose, anti-static with dust/water filter, Length: 6m	1000210
Dust/water filter for special sampling hose (pack of three)	1000207
Float probe type C	1000225
Telescopic probe , CrNi-steel, Length: 1.36m	1000205
Telescopic probe , CrNi-steel, Length: 1.92m	1000206
Teststation TS888/999 Set 1 for G888 and G999 , without charging function, incl. fitting, configuration software	1990241
Teststation TS888/999 Set 2 for G888 and G999, with charging function*, incl. fitting, configuration software	1990246
Teststation TX888/999 Set 1 for G888 and G999, without charging function, incl. fitting, configuration software	1990251
Teststation TX888/999 Set 2 for G888 and G999, with charging function*, incl. fitting, configuration software	1990256
Docking station DS400 for G888, G999 incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1990231
Docking station DS404 for G888, G999 incl. power supply, memory card, data interface cable to PC (USB to RS485) and configuration software	1990236



Accessories Micro IV gas detector

DESCRIPTION	ARTICLE NO.
Rubber cover (top/bottom)	1318214
Vibration alarm	1319211
Battery AA	1318201
Calibration adapter for non-reactive test gases	1318216
Leather holster	1318206
Electronic pump	1318215
Telescopic probe, CrNi-steel, 1,36 m	1000205
Special sampling hose 3 m, antistatic, with filter against particles and humidity	1000208
Viton hose, resistant against solvents and hydrogen sulfide, Price per meter	1000217
Float probe type C	1000225
Special filter against water and particles, Pack of 3	1000207
6-fold Dockingstation c/w power supply, MMC-Memory Card, interface cable	1319201
Data read-out and transfer module for MICRO IV G223	1319204

